

**SLANGKLEMMEN**

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|------------------|--------------------------------------|--------|-------------|--------|
| NOR ASS DOOS | ASSORTIMENTSDOOS MET SCHOEVENDDRAAIE | | | |
| NOR ASS DOOS 01 | ASSORTIMENTSDOOS ZONDER SCHROEVENDR | | | |
| NOR 107008 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107009 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107010 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107011 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107075 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107085 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107095 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107105 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 107115 | COBRA III W4 | 7 mm | INOX 1,4301 | 100 |
| NOR 108012 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108013 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108014 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108015 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108016 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108017 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108018 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108019 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108020 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108021 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108022 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108023 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108024 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108025 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108026 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108027 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108028 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108029 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 108030 | COBRA III W4 | 8 mm | INOX 1,4301 | 100 |
| NOR 110 8420 000 | COBRA TANG MONTAGE/DEMONTAGE | | | |
| NOR 126 9702 010 | DISPLAY-SORTIMENT 100 STUK | | | |
| NOR GBS 039181 | GBS M W1 | 18 mm | ALU-ZINK | 25 |
| NOR GBS 026181 | GBS M W1 | 18 mm | ALU-ZINK | 50 |
| NOR GBS 028181 | GBS M W1 | 18 mm | ALU-ZINK | 50 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|---------------------|---------------------|---------------|----------------------|---------------|
| NOR GBS 030181 | GBS M W1 | 18 mm | ALU-ZINK | 50 |
| NOR GBS 033181 | GBS M W1 | 18 mm | ALU-ZINK | 50 |
| NOR GBS 036181 | GBS M W1 | 18 mm | ALU-ZINK | 50 |
| NOR GBS 042181 | GBS M W1 | 18 mm | ALU-ZINK | 50 |
| NOR GBS 045201 | GBS M W1 | 20 mm | ALU-ZINK | 50 |
| NOR GBS 049201 | GBS M W1 | 20 mm | ALU-ZINK | 50 |
| NOR GBS 053201 | GBS M W1 | 20 mm | ALU-ZINK | 50 |
| NOR GBS 057201 | GBS M W1 | 20 mm | ALU-ZINK | 50 |
| NOR GBS 061201 | GBS M W1 | 20 mm | ALU-ZINK | 50 |
| NOR GBS 066201 | GBS M W1 | 20 mm | ALU-ZINK | 50 |
| NOR GBS 071251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 076251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 082251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 088251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 094251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 101251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 108251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 117251 | GBS M W1 | 25 mm | ALU-ZINK | 25 |
| NOR GBS 156301 | GBS M W1 | 30 mm | ALU-ZINK | 10 |
| NOR GBS 168301 | GBS M W1 | 30 mm | ALU-ZINK | 10 |
| NOR GBS 207301 | GBS M W1 | 30 mm | ALU-ZINK | 10 |
| NOR GBS 220301 | GBS M W1 | 30 mm | ALU-ZINK | 10 |
| NOR GBS 233301 | GBS M W1 | 30 mm | ALU-ZINK | 10 |
| NOR GBS 246301 | GBS M W1 | 30 mm | ALU-ZINK | 10 |
| NOR GBS 018182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 020182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 022182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 024182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 026182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 028182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 030182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 033182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 036182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 039182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 042182 | GBS N W2 | 18 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 045202 | GBS N W2 | 20 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 049202 | GBS N W2 | 20 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 053202 | GBS N W2 | 20 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 057202 | GBS N W2 | 20 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 061202 | GBS N W2 | 20 mm | INOX-ZINK 1,4510/1,4 | |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|------------------|--------------------------------|--------|----------------------|--------|
| NOR GBS 066202 | GBS N W2 | 20 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 071252 | GBS N W2 | 25 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 076252 | GBS N W2 | 25 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 082252 | GBS N W2 | 25 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 094252 | GBS N W2 | 25 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 101252 | GBS N W2 | 25 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 207302 | GBS N W2 | 30 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 220302 | GBS N W2 | 30 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 233302 | GBS N W2 | 30 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 246302 | GBS N W2 | 30 mm | INOX-ZINK 1,4510/1,4 | |
| NOR GBS 076254 | GBS N W4 | 25 mm | INOX 1,4301 | 25 |
| NOR GBS 207304 | GBS N W4 | 30 mm | INOX 1,4301 | 10 |
| NOR GBS 220304 | GBS N W4 | 30 mm | INOX 1,4301 | 10 |
| NOR GBS 233304 | GBS N W4 | 30 mm | INOX 1,4301 | 10 |
| NOR GBS 246304 | GBS N W4 | 30 mm | INOX 1,4301 | 10 |
| NOR 773 9000 365 | NORMAPLAST ASSORIMENT TYPE 365 | | | |
| NOR GES25R1 | NORMAPLAST TYPE GES | | | 25 |
| NOR GES16M26X1.5 | NORMAPLAST TYPE GES | | | 50 |
| NOR GES16R1-2 | NORMAPLAST TYPE GES | | | 50 |
| NOR GES16R3-5 | NORMAPLAST TYPE GES | | | 50 |
| NOR GES19M26X1.5 | NORMAPLAST TYPE GES | | | 50 |
| NOR GES19R3-5 | NORMAPLAST TYPE GES | | | 50 |
| NOR GES 10R3-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES10M12X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES10M14X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES10M16X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES10R1-4 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES101-4NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES103-8NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES12M16X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES12M18X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES12M22X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES12M26X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES12R1-2 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES12R3-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES123-8NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES14M18X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES14M20X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES14M22X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES14R1-2 | NORMAPLAST TYPE GES | | | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|---------------------|---------------------|---------------|------------------|---------------|
| NOR GES14R3-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES141-2NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES3M5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES4M10 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES4M12X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES4M14X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES4M8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES4M8X1.25 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES4R1-4 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES4R1-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES41-4NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES41-8NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES5M12X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES5M14X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES5R1-4 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES51-4NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES6M10 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES6M12X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES6M14X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES6R1-4 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES6R1-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES6R3-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES61-4NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES61-8NPT | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8M12X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8M14X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8M18X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8M22X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8M26X1.5 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8R1-2 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8R1-4 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8R1-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GES8R3-8 | NORMAPLAST TYPE GES | | | 100 |
| NOR GRS10-6 | NORMAPLAST TYPE GRS | | | 100 |
| NOR GRS10-8 | NORMAPLAST TYPE GRS | | | 100 |
| NOR GRS12-10 | NORMAPLAST TYPE GRS | | | 100 |
| NOR GRS12-8 | NORMAPLAST TYPE GRS | | | 100 |
| NOR GRS4-3 | NORMAPLAST TYPE GRS | | | 100 |
| NOR GRS6-5 | NORMAPLAST TYPE GRS | | | 100 |
| NOR GRS8-5 | NORMAPLAST TYPE GRS | | | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|---------------------|---------------------|---------------|------------------|---------------|
| NOR GRS8-6 | NORMAPLAST TYPE GRS | | | 100 |
| NOR GS25 | NORMAPLAST TYPE GS | | | 25 |
| NOR GS19 | NORMAPLAST TYPE GS | | | 50 |
| NOR GS03 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS04 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS05 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS06 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS08 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS10 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS12 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS13 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS14 | NORMAPLAST TYPE GS | | | 100 |
| NOR GS16 | NORMAPLAST TYPE GS | | | 100 |
| NOR KS12 | NORMAPLAST TYPE KS | | | 50 |
| NOR KS4 | NORMAPLAST TYPE KS | | | 100 |
| NOR KS5 | NORMAPLAST TYPE KS | | | 100 |
| NOR KS6 | NORMAPLAST TYPE KS | | | 100 |
| NOR TES 4M8 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES10R3-8 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES4M10 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES4M12X1.5 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES4M14X1.5 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES4R1-4 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES4R1-8 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES41-4NPT | NORMAPLAST TYPE TES | | | 100 |
| NOR TES41-8NPT | NORMAPLAST TYPE TES | | | 100 |
| NOR TES6M10 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES6M12X1.5 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES6R1-4 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES6R1-8 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES61-4NPT | NORMAPLAST TYPE TES | | | 100 |
| NOR TES61-8NPT | NORMAPLAST TYPE TES | | | 100 |
| NOR TES8M12X1.5 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES8M14X1.5 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES8R1-4 | NORMAPLAST TYPE TES | | | 100 |
| NOR TES81-4NPT | NORMAPLAST TYPE TES | | | 100 |
| NOR TRS18-10-18 | NORMAPLAST TYPE TRS | | | 50 |
| NOR TRS18-15-18 | NORMAPLAST TYPE TRS | | | 50 |
| NOR TRS10-13-10 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS10-6-10 | NORMAPLAST TYPE TRS | | | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|---------------------|---------------------|---------------|------------------|---------------|
| NOR TRS10-8-10 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS12-10-12 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS12-6-12 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS12-8-12 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS15-6-15 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS15-8-15 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS3-5-3 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS4-6-5 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS6-5-6 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS8-12-8 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS8-5-8 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TRS8-6-8 | NORMAPLAST TYPE TRS | | | 100 |
| NOR TS19 | NORMAPLAST TYPE TS | | | 25 |
| NOR TS25 | NORMAPLAST TYPE TS | | | 25 |
| NOR TS14 | NORMAPLAST TYPE TS | | | 50 |
| NOR TS15 | NORMAPLAST TYPE TS | | | 50 |
| NOR TS16 | NORMAPLAST TYPE TS | | | 50 |
| NOR TS10 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS12 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS13 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS3 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS4 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS5 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS6 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS7 | NORMAPLAST TYPE TS | | | 100 |
| NOR TS8 | NORMAPLAST TYPE TS | | | 100 |
| NOR WES25R1 | NORMAPLAST TYPE WES | | | 25 |
| NOR WES19M24X2 | NORMAPLAST TYPE WES | | | 50 |
| NOR WES19R3-4 | NORMAPLAST TYPE WES | | | 50 |
| NOR WES10M14X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES10R1-4 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES10R3-8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES101-2NPT | NORMAPLAST TYPE WES | | | 100 |
| NOR WES12M16X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES12M18X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES12M22X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES12M26X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES12R1-2 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES12R3-8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES123-8NPT | NORMAPLAST TYPE WES | | | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|---------------------|---------------------|---------------|------------------|---------------|
| NOR WES3M5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES4M10 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES4M12X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES4M14X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES4M8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES4R1-4 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES4R1-8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES41-4NPT | NORMAPLAST TYPE WES | | | 100 |
| NOR WES41-8NPT | NORMAPLAST TYPE WES | | | 100 |
| NOR WES6M10 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES6M12X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES6R1-4 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES6R1-8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES6R3-8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES61-4NPT | NORMAPLAST TYPE WES | | | 100 |
| NOR WES61-8NPT | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8M10 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8M12X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8M14X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8M16X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8M18X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8M22X1.5 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8R1-2 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8R1-4 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8R1-8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES8R3-8 | NORMAPLAST TYPE WES | | | 100 |
| NOR WES81-4NPT | NORMAPLAST TYPE WES | | | 100 |
| NOR WS25 | NORMAPLAST TYPE WS | | | 25 |
| NOR WS16 | NORMAPLAST TYPE WS | | | 50 |
| NOR WS19 | NORMAPLAST TYPE WS | | | 50 |
| NOR WS10 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS12 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS13 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS14 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS15 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS3 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS4 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS5 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS6 | NORMAPLAST TYPE WS | | | 100 |
| NOR WS8 | NORMAPLAST TYPE WS | | | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|-----------------|-------------------------------|--------|-----------|--------|
| NOR YRS4-6-5 | NORMAPLAST TYPE YRS | | | 100 |
| NOR YRS6-8-6 | NORMAPLAST TYPE YRS | | | 100 |
| NOR YS19 | NORMAPLAST TYPE YS | | | 25 |
| NOR YS14 | NORMAPLAST TYPE YS | | | 50 |
| NOR YS16 | NORMAPLAST TYPE YS | | | 50 |
| NOR YS10 | NORMAPLAST TYPE YS | | | 100 |
| NOR YS12 | NORMAPLAST TYPE YS | | | 100 |
| NOR YS13 | NORMAPLAST TYPE YS | | | 100 |
| NOR YS3 | NORMAPLAST TYPE YS | | | 100 |
| NOR YS4 | NORMAPLAST TYPE YS | | | 100 |
| NOR YS5 | NORMAPLAST TYPE YS | | | 100 |
| NOR YS6 | NORMAPLAST TYPE YS | | | 100 |
| NOR YS8 | NORMAPLAST TYPE YS | | | 100 |
| NOR 5608500004 | NORMETTA BAND 5MM W1 | | | 30M |
| NOR 5608500001 | NORMETTA BAND 9MM W1 | | | 30M |
| NOR 5608565001 | NORMETTA G W1 | | GALVA | 50 |
| NOR 5608520002 | NORMETTA SLUITINGEN NB-A/5 W1 | | | |
| NOR 5608520000 | NORMETTA SLUITINGEN NB-A/9 W1 | | | |
| NOR RU1-20-09-1 | RSGU W1 | 9 mm | GALVA | 100 |
| NOR RU1-30-09-1 | RSGU W1 | 9 mm | GALVA | 100 |
| NOR RU1-50-09-1 | RSGU W1 | 9 mm | GALVA | 100 |
| NOR RU1-06-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-08-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-10-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-12-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-13-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-14-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-15-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-20-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-30-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-50-12-1 | RSGU W1 | 12 mm | GALVA | 100 |
| NOR RU1-06-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-08-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-10-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-12-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-13-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-14-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-16-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-18-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-20-15-1 | RSGU W1 | 15 mm | GALVA | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|---------------------|---------------------|---------------|------------------|---------------|
| NOR RU1-21-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-23-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-26-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-30-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-50-15-1 | RSGU W1 | 15 mm | GALVA | 100 |
| NOR RU1-34-20-1 | RSGU W1 | 20 mm | GALVA | 25 |
| NOR RU1-20-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-22-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-23-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-24-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-25-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-30-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-32-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-35-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-36-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-38-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-40-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-50-20-1 | RSGU W1 | 20 mm | GALVA | 50 |
| NOR RU1-100-25-1 | RSGU W1 | 25 mm | GALVA | 50 |
| NOR RU1-30-25-1 | RSGU W1 | 25 mm | GALVA | 50 |
| NOR RU1-50-25-1 | RSGU W1 | 25 mm | GALVA | 50 |
| NOR RU1-60-25-1 | RSGU W1 | 25 mm | GALVA | 50 |
| NOR RU1-70-25-1 | RSGU W1 | 25 mm | GALVA | 50 |
| NOR RU1-80-25-1 | RSGU W1 | 25 mm | GALVA | 50 |
| NOR RU1-90-25-1 | RSGU W1 | 25 mm | GALVA | 50 |
| NOR RU1-30-9-5 | RSGU W5 | 9 mm | INOX 1,4571 | 100 |
| NOR RU1-50-9-5 | RSGU W5 | 9 mm | INOX 1,4571 | 100 |
| NOR RU1-100-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-20-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-30-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-40-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-50-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-60-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-70-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-80-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-90-12-5 | RSGU W5 | 12 mm | INOX 1,4571 | 100 |
| NOR RU1-100-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |
| NOR RU1-20-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |
| NOR RU1-30-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |
| NOR RU1-50-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|------------------|------------------------|--------|-------------|--------|
| NOR RU1-60-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |
| NOR RU1-70-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |
| NOR RU1-80-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |
| NOR RU1-90-15-5 | RSGU W5 | 15 mm | INOX 1,4571 | 100 |
| NOR RU1-100-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-20-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-30-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-40-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-50-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-60-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-70-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-80-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-90-20-5 | RSGU W5 | 20 mm | INOX 1,4571 | 50 |
| NOR RU1-100-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-20-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-22-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-30-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-40-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-50-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-60-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-70-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-80-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR RU1-90-25-5 | RSGU W5 | 25 mm | INOX 1,4571 | 50 |
| NOR 120010091 | S W1 | 9 mm | GALVA | 100 |
| NOR SW894 | SCHROEVENDRAAIER | | | |
| NOR 120008091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120009091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120010091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120011091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120012091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120013091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120014091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120015091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120016091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120017091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120018091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120019091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 120020091L | SL W1 | 9 mm | ALU-ZINK | 100 |
| NOR 565170154 | SPANKLEM SVS 170/15 W4 | | | 100 |
| NOR 565220154 | SPANKLEM SVS 220/15 W4 | | | 100 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|------------------|-------------------------|--------|-----------|----------------|
| NOR 565300154 | SPANKLEM SVS 300/15 W4 | | | 100 |
| NOR 120-140-9-1 | TORRO S 120-140/9-C7 W1 | | | 25 |
| NOR 5608565003 | TORRO SYSTEEM G W3 | | INOX | 12 KLEMMEN |
| NOR 5608560003 | TORRO SYSTEEM G W3 | | INOX | 13 KLEMMEN |
| NOR 5608566001 | TORRO SYSTEEM G W1 | | | 12 Rol. X 30 m |
| NOR 5608560001 | TORRO SYSTEEM G W1 | | GALVA | 13 KLEMMEN |
| NOR 5608561003 | TORRO SYSTEEM G W2 | | | 13 Rol. X 30 m |
| NOR 5608566003 | TORRO SYSTEEM G W3 | | | 12 Rol. X 30 m |
| NOR 60-80-9-1 | TORRO W1 | 9 mm | GALVA | 25 |
| NOR 70-90-9-1 | TORRO W1 | 9 mm | GALVA | 25 |
| NOR 80-100-9-1 | TORRO W1 | 9 mm | GALVA | 25 |
| NOR 90-110-9-1 | TORRO W1 | 9 mm | GALVA | 25 |
| NOR 35-50-9-1 | TORRO W1 | 9 mm | GALVA | 50 |
| NOR 40-60-9-1 | TORRO W1 | 9 mm | GALVA | 50 |
| NOR 50-70-9-1 | TORRO W1 | 9 mm | GALVA | 50 |
| NOR 10-16-9-1 | TORRO W1 | 9 mm | GALVA | 100 |
| NOR 12-22-9-1 | TORRO W1 | 9 mm | GALVA | 100 |
| NOR 16-27-9-1 | TORRO W1 | 9 mm | GALVA | 100 |
| NOR 20-32-9-1 | TORRO W1 | 9 mm | GALVA | 100 |
| NOR 25-40-9-1 | TORRO W1 | 9 mm | GALVA | 100 |
| NOR 8-12-9-1 | TORRO W1 | 9 mm | GALVA | 100 |
| NOR 160-180-12-1 | TORRO W1 | 12 mm | GALVA | 20 |
| NOR 100-120-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 110-130-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 120-140-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 130-150-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 140-160-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 150-170-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 170-190-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 40-60-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 50-70-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 60-80-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 70-90-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 80-100-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 90-110-12-1 | TORRO W1 | 12 mm | GALVA | 25 |
| NOR 16-27-12-1 | TORRO W1 | 12 mm | GALVA | 50 |
| NOR 20-32-12-1 | TORRO W1 | 12 mm | GALVA | 50 |
| NOR 25-40-12-1 | TORRO W1 | 12 mm | GALVA | 50 |
| NOR 30-45-12-1 | TORRO W1 | 12 mm | GALVA | 50 |
| NOR 35-50-12-1 | TORRO W1 | 12 mm | GALVA | 50 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|------------------|--------------|--------|-----------------|--------|
| NOR 11-19-5-2 | TORRO W2 | 5 mm | INOX 430/CHROME | 100 |
| NOR 7-11-5-2 | TORRO W2 | 5 mm | INOX 430/CHROME | 100 |
| NOR 10-16-7.5-2 | TORRO W2 | 7,5 mm | INOX 430/CHROME | 10 |
| NOR 8-12-7.5-2 | TORRO W2 | 7,5 mm | INOX 430/CHROME | 10 |
| NOR 70-90-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 25 |
| NOR 32-50-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 50 |
| NOR 40-60-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 50 |
| NOR 50-70-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 50 |
| NOR 60-80-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 50 |
| NOR 12-22-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 100 |
| NOR 16-27-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 100 |
| NOR 20-32-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 100 |
| NOR 25-40-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 100 |
| NOR 8-16-9-2 | TORRO W2 | 9 mm | INOX 430/CHROME | 100 |
| NOR 130-150-12-2 | TORRO W2 | 12 mm | INOX 430/CHROME | 25 |
| NOR 40-60-12-2 | TORRO W2 | 12 mm | INOX 430/CHROME | 25 |
| NOR 60-80-12-2 | TORRO W2 | 12 mm | INOX 430/CHROME | 25 |
| NOR 70-90-12-2 | TORRO W2 | 12 mm | INOX 430/CHROME | 25 |
| NOR 80-100-12-2 | TORRO W2 | 12 mm | INOX 430/CHROME | 25 |
| NOR 35-50-12-2 | TORRO W2 | 12 mm | INOX | 50 |
| NOR 16-27-12-2 | TORRO W2 | 12 mm | INOX 430/CHROME | 50 |
| NOR 25-40-12-2 | TORRO W2 | 12 mm | INOX 430/CHROME | 50 |
| NOR 60-80-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 25 |
| NOR 70-90-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 25 |
| NOR 80-100-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 25 |
| NOR 90-110-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 25 |
| NOR 32-50-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 50 |
| NOR 40-60-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 50 |
| NOR 50-70-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 50 |
| NOR 12-22-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 100 |
| NOR 16-27-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 100 |
| NOR 20-32-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 100 |
| NOR 25-40-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 100 |
| NOR 8-16-9-4 | TORRO W4 | 9 mm | INOX 304/1,4301 | 100 |
| NOR 100-120-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 110-130-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 120-140-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 170-190-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 40-60-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 50-70-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |

SLANGKLEMMEN

| BESTELNUMMER | OMSCHRIJVING | AFMET. | MATERIAAL | INHOUD |
|---------------------|---------------------|---------------|------------------|---------------|
| NOR 60-80-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 70-90-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 80-100-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 90-110-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 25 |
| NOR 16-27-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 50 |
| NOR 20-32-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 50 |
| NOR 25-40-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 50 |
| NOR 32-50-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 50 |
| NOR 35-50-12-4 | TORRO W4 | 12 mm | INOX 304/1,4301 | 50 |
| NOR 40-60-12-5 | TORRO W5 | 12 mm | INOX 316/1,4571 | 25 |
| NOR 80-100-12-5 | TORRO W5 | 12 mm | INOX 316/1,4571 | 25 |